

STATINTL

19 January 1960

Dear Doc,

STATINTL

Attached hereto is our recommendation in regard to procurement of V/H sensor heads. We are ready to go ahead with [REDACTED] as soon as contrastural approval is granted.

Thanks,

*Milt*  
Milt

MDR:mb

STATINTL

cc: CMH

y 3 - [REDACTED]  
(for your files)

An automatic passive V/H measuring system more accurate than present state-of-the-art is an absolute necessity for this project. There are three potential systems: ( 1 ) An automatic driftsight;

( 2 ) A correlation system;

and ( 3 ) the fixed grid sensor.

STATINTL

( 2 ) and ( 3 ) are available to us. ( 2 ) has been developed by [REDACTED] and we are working on ( 3 ).

Laboratory testing will provide a limited test of any V/H sensor, but such testing is unfaithful in simulating the true effect of cliffs, clouds, atmospheric contrast reduction and spectral distribution of energy. We have largely exhausted the usefulness of laboratory testing, having shown that the grid sensor is capable of creating signals of the required nature when moving aerial negative scenes are used to simulate moving terrain.

STATINTL

STATINTL

The correlation system [REDACTED] has, as an IR sensing system, been carried to an advanced state of development under a [REDACTED] contract. However, IR will not be very sensitive to ground signals in our intended application. It would therefore be desirable to modify this type of sensor to operate on visible radiation since the basic system is known to work; it is only necessary to determine its actual signal generation capacity in the air.

We are convinced that the best plan to develop an accurate V/H sensor now requires a comparative flight test. The details of such a test will be specified within one month, but might be ( for example ):

( 1 ) Fly both sensors above tropopause at available V/H rate;

and ( 2 ) Include camera, gyro sensors, and recorder to provide basic data.

The first step, however, requires the procurement of correlation sensor heads since the delivery on these items far exceeds other contemplated equipment. We recommend that we procure the [REDACTED] correlation sensing head. [REDACTED] is a sole source for this item. The concept is an original one with [REDACTED] and the experimental work was done under a contract with [REDACTED]. We do not have detailed information to build such a head and in order for any firm other than [REDACTED] to build the head, a development program would be necessary. Therefore, we must conclude that at the present time [REDACTED] has a unique capability to build this sensing head. Moreover there is a possibility that the complete [REDACTED] V/H system may be employed on the project. The quoted cost on a CPFF basis is [REDACTED] plus [REDACTED] per man month for any engineering assistance.

STATINTL

STATINTL

STATINTL

STATINTL

STATINTL

STATINTL

STATINTL

STATINTL

14 April 1960

SUBJECT: Recommendation on temperature altitude chamber procurement

STATINTL

STATINTL

Three proposals were received on the above. During the negotiations after an original quotation and a first revision [REDACTED] was eliminated from further consideration because of a quotation at twice the price offered by competition. Since this quotation was based on adequate briefing and written specifications by us we did not feel that further consideration was warranted. No evidence of technical or other advantages had been demonstrated by [REDACTED].

STATINTL

STATINTL

We recommend awarding the contract to the low bidder --

STATINTL

[REDACTED], primarily on the basis of their superior engineering design which we believe will fully meet and in certain respects exceed our requirements.

STATINTL

Their quotation is substantially lower than that of [REDACTED], reflecting, we feel, a simpler, more reliable design approach.

STATINTL

We have visited both facilities, obtained information on prior work performance, and studied both designs. The quote of [REDACTED] reflects higher instrumentation and temperature control costs due to a more complex approach which can be characterized as "brute force". [REDACTED] by using a simpler and more elegant technique, requires less than 1/4 the power requirement of its competitor and will be much easier to maintain.

STATINTL

Quoted delivery time, which is of crucial importance for us, is the same for both bidders at 16 weeks and is backed up by a \$200 day penalty clause.

P.V.

**STATINTL**

**Approved For Release 2001/03/22 : CIA-RDP67B00511R000100160038-3**

**Next 11 Page(s) In Document Exempt**

**Approved For Release 2001/03/22 : CIA-RDP67B00511R000100160038-3**